






	Colours	TOP	Group II	Group III
		2 COLOURS	ATLANTIC	XTREME SYNERGY
GR01 - Armchair		-		
GR02 - 2 seater sofa		-		
GR03 - 3 seater sofa		-		
GR01S - Square table			-	-
GR02S - Rectangular table			-	-

**SEAT, BACKREST**

Moulded foam with a density of 55kg/m3, upholstered.

**FRAME**

3 colours: pearl white semi-matt M016, burgundy semi-matt M013, black semi-matt M115. Frame made of oval-shaped profile 40x20x2 mm, tube Ø22mm, wall thickness 2mm. CNC-bent frame, finished with polypropylen feet.

**TOP**

MDF, natural veneer light ash, 3 colours: pearl white, burgundy, black.

**DIMENSIONS**



**Armchair GR01**  
 17 kg gross  
 D / W / H  
 690/740/800

**Sofa GR02**  
 30 kg gross  
 D / W / H  
 690/1320/800

**Sofa GR03**  
 45 kg gross  
 D / W / H  
 690/1900/800

**Table GR01S**  
 20 kg gross  
 D / W / H  
 840/840/490

**Table GR02S**  
 17 kg gross  
 D / W / H  
 540/1040/490



Group II A-65037

ATLANTIC



A-64089



A-67043



A-66064



A-62048



A-67030



A-60025



A-61078



A-60141



A-60011

Technical data

<b>Material</b>	polyester 100%
<b>Fabric weight</b>	353g/m2, 530g/lm
<b>Abrasion resistance rubs</b>	110,000 Rubs Martindale (EN ISO 12947-2)
<b>Colour fastness to light</b>	Scale 1-8, max. 8 - EN ISO 105-B02 5-7
<b>Colour fastness to rubbing</b>	Scale 1-5, max. 5 - EN ISO 105x12 (wet/dry) 4-5/4-5
<b>Flammability</b>	ASTM E 84, BS 476 Part 7, class 1, BS EN 1021-1 cigarett, BS EN 1021-2 Match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME NF P 92-503 M3

Colours presented in the catalogue may vary from the original colours of furniture.



Group III XR420

XTREME CS



XR079



XR026



XR084



XR160




XR430



XR108



XR094



XR081




XR009




Group III YS083


XTREME YS



YS158



YS071



YS166


Technical data

<b>Material</b>	100% Trevira Clame (CS), 100% Recycled (YS). Flame Retardant polyester, Non metallic dyestuffs.
<b>Fabric weight</b>	310g/m2 ±5% (435g/lin.m ±5%)
<b>Abrasion resistance rubs</b>	60,000 Martindale cycles
<b>Colour fastness to light</b>	6 (ISO 105 - B02)
<b>Colour fastness to rubbing</b>	Wet: 4, Dry: 4 (ISO 105 - X12)
<b>Flammability</b>	EN 1021 - 1 (cigarette), EN 1021 M - 2 (match), BS 7176 Low Hazard, NF P92-507 M1, DIN 4102 B1, UNI 9175 Classe 1 IM, UNI 8456, UNI 9174 & UNI 9177 Classe Uno, ÖNORM B 3825 & A 3800 -1, NF D 60-013

Colours presented in the catalogue may vary from the original colours of furniture.




Group III LDS27



LDS53



LDS50



LDS60



LDS57



LDS61



LDS69



LDS84



LDS85



LDS86




LDS20



LDS08



LDS29




LDS88

**Technical data**

- Material**
- Fabric weight**
- Abrasion resistance rubs**
- Light Fastness**
- Fastness to Rubbing**
- Flammability**

95% Virgin Wool, 5% Polyamide  
 400g/m2 ±5% (560g/lin.m ±5%)  
 Independently certified to ≥100,000 Martindale cycles  
 ISO 105 - B02 5  
 ISO 105 - X12 - Wet: 4, Dry: 4  
 EN 1021 - 1 (cigarette), EN 1021 - 2 (match), BS 7176 Low Hazard ,UNI 9175 Classe 1 IM,  
 ÖNORM B 3825 & A 3800-1

Colours presented in the catalogue may vary from the original colours of furniture.



METAL



M013 - Burgundy semi-matt



M015 - White semi-matt



M115 - Black semi-matt