FOLD-FLAT RESPIRATORS FFP1, FFP2, FFP3





Facial filtering respirators to protect against solid (nonoil) and liquid (oil) volatile particles. With exhalation Valve (excluding 25665). Double elastic with buttonhole allows to hang the mask to the neck when it's not worn. Aluminium adjustable nose piece welded with high resistance and internal Polyethylene (PE) Foam nose pad. Single packed guarantees total hygiene and easy maintenance.

| GIN | | PARTICULATE FOLDABLE RESPIRATORS | Minimum order |
|-----|----|--|------------------|
| 256 | 66 | Particulate respirator - FFP1 - with valve | box of 20 |
| 256 | 65 | Particulate respirator - FFP2 | box of 20 |
| 256 | 70 | Particulate respirator - FFP2 - with valve | box of 10 |
| 256 | 71 | Particulate respirator - FFP3 - with valve | box of 10 |

NORMS: CEI EN 149: 2001 + A1: 2009 05-06-2008 AC 538100





The shape of the respirator has been developed to reduce difficulties of respiration and to improve efficiency in the dialogue. Innovative design allows a perfect view. Wide adaptability to various face contours. Wide filtering area to allow proper ventilation. Light weight.

Conforms to CE standard - EN 149: 2001 + A1: 2009

| TECHNICAL SPECIFICATIONS | | | | | | | |
|-------------------------------------|-------|--------|--------|--------|--|--|--|
| | 25666 | 25665 | 25670 | 25671 | | | |
| Protection: | FFP1 | FFP2 | FFP2 | FFP3 | | | |
| Minimum filter efficiency | 78% | 92% | 92% | 98% | | | |
| Exposure limit fine particles up to | 4xTLV | 12xTLV | 12xTLV | 50xTLV | | | |
| Valve | yes | no | yes | yes | | | |
| Vertically foldable | yes | yes | yes | yes | | | |

MATERIALS
Elastics: latex-free Filter: Polypropylene Fabric

Valve: rigid plastic (excluding 25665)
Valve Membrane: Synthetic Rubber (excluding 25665)
Nose Piece: Polypropylene coated steel adjustable Nose Pad: Polyurethane (PU) Foam

EARLOOP MASK 1826

• 25545 3M™ STANDARD EAR-**LOOP MASK 1826 - box of 50** Surgical 3 ply flat earloop face mask for patient protection. Three plies: 2 external woven non woven and 1 internal with high filtering capacity. It has filtering power > 98% and is classified type II product, compliant with UNI EN 14683:2006.



CONE MASKS FFP2, FFP3 with valve

• 26006 CONICAL FFP2 MASK WITH VALVE - box of 10

• 26007 CONICAL FFP3 MASK

WITH VALVE - box of 5

Conical disposable filtering face mask with exhalation valve, for protection against particles and solid or liquid aerosol. Adjustable nose piece and elastic head band. Exhalation valve reduces the accumulation of humidity and heat. Norms: EN 149:2001 + A1:2009.

High protection: 94% (FFP2), 99% (FFP3)



IMPERMEABLE, ABSORBENT, ANTI-SLIP MAT FOR FLOORS IMPERMEABLE ANTI-SLIP ABSORBENT BLUE COLOUR MAT FOR surface. The special film at rear side blocks the mat on the

FLOORS

Pre-cut or roll mats to be positioned on the floor of the operating room or near the sink in the pre-operating theatre for holding liquids that could fall on the floor. Mats have high absorbent capacity and optimal speed absorbency. The mats distribute the absorbed liquid by capillary method and maintain it at his internal structure avoiding the lifts on





floor and keeps it stopped without using adhesive matters, which could release glue traces on the floor. They are perfectly adherent at the ground, avoiding risk of accidents.

Absorbent rolls

They have 3 different absorbences. Can be cut at desired size. Trolley for rolls

Made in stailess steel with 4 pivoting wheels (2 with brake). Turning base for rolls with height up to 1 m

| furning base, for rolls with height up to 1 m. | | | | | | | | |
|--|--------------|-------------------------|-----------|--|--|--|--|--|
| GIMA | ABSORBENT P | Minimum | | | | | | |
| code | Size | Absorbence | order | | | | | |
| 25150 | 90x90 cm | 1,700 ml/m ² | box of 70 | | | | | |
| 25151 | 90x120 cm | 1,700 ml/m ² | box of 50 | | | | | |
| 25152 | 90x150 cm | 1,700 ml/m ² | box of 40 | | | | | |
| 25153 | 90x200 cm | 1,700 ml/m ² | box of 30 | | | | | |
| 25154 | 90x250 cm | 1,700 ml/m ² | box of 20 | | | | | |
| ABSORBENT ROLLS | | | | | | | | |
| 25165 | 90 cm x 50 m | 1,700 ml/m ² | 1 | | | | | |
| 25166 | 90 cm x 50 m | 2,500 ml/m ² | 1 | | | | | |
| 25167 | 90 cm x 50 m | 3,500 ml/m ² | 1 | | | | | |
| TROLLEY FOR ROLLS | | | | | | | | |
| 25169 | 1 | | | | | | | |