Wave technical specification



.mdd

MDD has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

MDD is higly aware of the environment.

Being located in the forest region with lake by its side, MDD takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. MDD has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.













General informations:

Warranty:

MDD products - **5 years**. Electrical components and fabric - **2 years**.

Certyficate - MFC:





Assembly:

product delivered in separate elements


Packing:


cartboard, bubble wrap, perforated plastic mesh wrap

Boards density:

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3


- 1. Top MFC 36 mm + Glass LACOBEL 4 mm (40 mm)
- 2. Worktop MFC 28 mm, ABS edge
- 3. Front HPL high gloss
- 4. Decorative stripe PVC, colour: M009 aluminum semi-matt
- 5. Low side panel MFC 28 mm, ABS edge
- 6. Leveling 5 mm range
- 7. Shelf for reception counter HPL mat 6 mm
- 8. Fixing element powder coated metal, colour: M015 metal white semi-matt
- 9. Side panel linking low and high fronts MFC 28 mm, ABS edge
- 10. Cable grommets Ø80 mm
- 11. Supporting leg NL41 required for connecting the tops







ATTENTION - Interior of the front in white


Ending elements application



Date of preparation 14.01.2020 Wave









LUV49L 858 / 925 / 1103 39 kg



LUV49P 858 / 925 / 1103 39 kg

Composition elements *



LUV011 750 / 1029 / 740 22.5 kg



LUV01 970 | 1029 | 740 28.5 kg




LUV02 750 | 763 | 1103 29 kg



LUV03 970 | 763 | 1103 33 kg



LUV04 $815 \, / \, 815 \, / \, 1103$ 36 kg




LUV05L 770 / 28 / 1103 15 kg



LUV05P 770 | 28 | 1103 15 kg



LUV06L 770 | 28 | 755 11 kg



LUV06P 770 / 28 / 755 11 kg



LUV07L 216 / 28 / 363 2 kg



LUV07P 216 / 28 / 363 2 kg



LUV08L 216 / 28 / 1103 5 kg

 $^{^{\}star}$ dimensions expressed in millimeters: width x depth x height

Composition elements *







LUV08P 216 / 28 / 1103 5 kg **NL41** 585 / 142 / 712 2 kg

Sneeze guard *



 $\begin{array}{c} \textbf{NPX1} \\ 1000 \, / \, 250 \, / \, 750 \\ 3 \, \mathrm{kg} \end{array}$

 * dimensions expressed in millimeters: width x depth x height

| Upper top | | | | | | |
|------------------------|----------------------|------------------------|---------------------------|--|--|--|
| 117 Glass white | | | | | | |
| RAL9003 | | | | | | |
| Body | | | | | | |
| 67 White pastel | | | | | | |
| or writte paster | | | | | | |
| Supporting leg - metal | | | | | | |
| M015 White | | | | | | |
| semi-matt | | | | | | |
| Front - HPL | | | | | | |
| | | | | | | |
| 73 White high gloss | 74 Orange high gloss | 80 Green high gloss | 81 Burgundy high gloss | | | |